Safety Data Sheet according to the Model Work Health and Safety Regulations Date of issue: 20/08/2019 Revision date: 25/10/2019 Version: 1.1 SDS No: 00625-0064

.1. Product identifier Product form Product name	: Mixture : Cleaner Tab Active Green, ArtNo. 56.01.535, 56.01.628, 56.01.527, 56.01.531
Product name	
	. Cleaner Tab Active Green, ArtNo. 50.01.555, 50.01.020, 50.01.527, 50.01.551
.2. Other means of identification	
lo additional information available	
.3. Recommended use of the che	
Recommended use	: Cleaning agent For professional users only
.4. Supplier's details	
COMCATER Pty. Ltd. 56 Swann Drive Derrimut /ictoria 3030, Australia [*] +61 (0) 3 8369 4600 - F +61 (0) 3 8369 4 www.comcater.com.au	4666
-mail address of competent person respo	onsible for the SDS: reinigung@rational-online.com
.5. Emergency phone number	
mergency number	: POISONS INFORMATION CENTRE Phone: 13 11 26
SECTION 2: Hazards identificati	ion
.1. Classification of the hazardou	s chemical
Classification according to the model W	Vork Health and Safety Regulations (WHS Regulations)
Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1A	H314
.2. Label elements	
łazard pictograms (GHS AU)	
Signal word (GHS AU)	: Danger
Contains	: Sodium hydroxide (50 - 80 %); disodium metasilicate (1 - 10 %)
lazard statements (GHS AU)	: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage.
Precautionary statements (GHS AU)	 P101 - If medical advice is needed, have product container or label at hand. P234 - Keep only in original container P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor P321 - Specific treatment (see supplemental first aid instruction on this label) P363 - Wash contaminated clothing before reuse P390 - Absorb spillage to prevent material damage. P405 - Store locked up. P406 - Store in corrosive resistant container with a resistant inner liner.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0064

SECTION 3: Composition/information on ingredients

Comments : Mixtu	re of the substances lis	sted below with	harmless additives
Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Sodium hydroxide	1310-73-2	50 - 80	Skin Corr. 1A, H314

6834-92-0	1 - 10	Skin Corr. 1B, H314 STOT SE 3, H335
497-19-8	5 - 10	Eye Irrit. 2A, H319
	< 45	Not classified
e off immediately all c	ontaminated cloth	ing. Call a physician immediately.
		497-19-8 5 - 10

First-aid measures general	: I ake off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Symptoms caused by exposure	
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns. stomach pain. Nausea.
4.3. Indication of any immediate medic	al attention and special treatment needed
Treatment	: Treat symptomatically.
SECTION & Eirofighting modeuroe	
SECTION 5: Firefighting measures	
5.1. Extinguishing media Suitable extinguishing media	. Fire extinguishing estivities eccepting to surrounding
8 8	: Fire-extinguishing activities according to surrounding.
Unsuitable extinguishing media	: Strong water jet.
5.2. Special hazards arising from the s	ubstance or mixture
No additional information available	
5.3. Special protective equipment and	precautions for fire-fighters
Firefighting instructions	: Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code	: 2W
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". 6.2. Environmental precautions Avoid release to the environment.

6.3.	Methods and material for containme	it and cleaning up
Methods	for cleaning up	: Mechanically recover the product. Wash away remainder with plenty of water.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0064

SECTION 7: Handling and storage, i	ncluding how the chemical may be safely used	
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Protect from atmospheric moisture and water.	
Special rules on packaging	: Keep only in original container.	

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters - exposure standards			
Sodium hydroxide (1310-73-2)			
Australia - Occupational Exposure Limits			
Local name	Sodium hydroxide		
OEL - Ceilings (mg/m ³)	2 mg/m ³		
Regulatory reference	Workplace exposure standards for airborne contaminants (2018)		
8.2. Monitoring			

No additional information available

8.3. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
8.4. Personal protective equipment	
Hand protection	: Chemically resistant protective gloves. EN 374. Please follow the instructions related to the
	permeability and the penetration time provided by the manufacturer
Eve protection	: Protective goggles (EN 166)
_, , , , , , , , , , , , , , , , , , ,	
Skin and body protection	: Not required
Respiratory protection	: Not required
Environmental exposure controls	: Avoid release to the environment.

Physical state: SolidAppearance: tablet.Colour: whiteOdour: OdourlessOdour threshold: No data availablepH: 12.5 1%Relative evaporation rate (butylacetate=1): No data availableMelting point / Freezing point: Freezing point : Not applicableBoiling point: No data availableFlash point: Not applicableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data availableRelative density: No data available	SECTION 9: Physical and chemical properties		
Colour: whiteOdour: OdourlessOdour threshold: No data availablepH: 12.5 1%Relative evaporation rate (butylacetate=1): No data availableMelting point / Freezing point: Freezing point : Not applicableBoiling point: No data availableFlash point: No data availableAuto-ignition temperature: Not applicableFlasmability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data available	Physical state	: Solid	
Odour: OdourlessOdour threshold: No data availablePH: 12.5 1%Relative evaporation rate (butylacetate=1): No data availableMelting point / Freezing point: No data availableBoiling point / Freezing point: Freezing point : Not applicableBoiling point: No data availableFlash point: Not applicableAuto-ignition temperature: Not applicableFlammability (solid, gas): Not data availableVapour pressure: Not data availableRelative density: Not data available	Appearance	: tablet.	
Odour threshold: No data availablepH: 12.5 1%Relative evaporation rate (butylacetate=1): No data availableMelting point / Freezing point: Freezing point : Not applicableBoiling point: No data availableFlash point: No data availableAuto-ignition temperature: Not applicableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data available	Colour	: white	
pH:12.5 1%Relative evaporation rate (butylacetate=1):No data availableMelting point / Freezing point:Freezing point : Not applicableBoiling point:No data availableFlash point:Not applicableAuto-ignition temperature:Not applicableFlammability (solid, gas):No data availableVapour pressure:No data availableRelative density:No data available	Odour	: Odourless	
1 %Relative evaporation rate (butylacetate=1): No data availableMelting point / Freezing point: Freezing point : Not applicableBoiling point: No data availableBoiling point: No data availableFlash point: Not applicableAuto-ignition temperature: Not applicableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data available	Odour threshold	: No data available	
Melting point / Freezing point: Freezing point : Not applicableBoiling point: No data availableFlash point: Not applicableAuto-ignition temperature: Not applicableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data available	рН		
Boiling point: No data availableFlash point: Not applicableAuto-ignition temperature: Not applicableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data available	Relative evaporation rate (butylacetate=1)	: No data available	
Flash point: Not applicableAuto-ignition temperature: Not applicableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data available	Melting point / Freezing point	: Freezing point : Not applicable	
Auto-ignition temperature: Not applicableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data available	Boiling point	: No data available	
Flammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data available	Flash point	: Not applicable	
Vapour pressure : No data available Relative density : No data available	Auto-ignition temperature	: Not applicable	
Relative density : No data available	Flammability (solid, gas)	: No data available	
	Vapour pressure	: No data available	
Density : Relative density : Not applicable	Relative density	: No data available	
	Density	: Relative density : Not applicable	
Solubility : Soluble in water.	Solubility	: Soluble in water.	
Log Pow : No data available	Log Pow	: No data available	
Viscosity, kinematic : Not applicable	Viscosity, kinematic	: Not applicable	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0064

Explosive properties	: No data available
Oxidising properties	: Non oxidizing
Explosive limits	: Not applicable
Minimum ignition energy	: No data available
VOC content	: <3%
Fat solubility	: No data available
SECTION 10: Stability and react	ivity
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport. The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Exothermic reaction on contact with : Acids.
Conditions to avoid	: Moisture.
Incompatible materials	: Acids. metals.
SECTION 11: Toxicological info	mation
Acute toxicity	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
	pH: 12.5
Serious eye damage/irritation	: pH: 12.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request 12.1 Eastaviaitu

12.1. ECOTOXICITY	
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

12.2. I	Persistence and degradability		
Sodium	carbonate (497-19-8)		
Not rapid	lly degradable		
12.3. I	Bioaccumulative potential		
No additio	nal information available		
12.4. I	Mobility in soil		
No additio	nal information available		
12.5.	Other adverse effects		
Ozone		: Not classified	
Other adve	erse effects	: No additional information available	
Cleaner	Tab Active Green		
Fluorinat	ed greenhouse gases	False	
Printing date	e: 28/10/2019	AU - en	4/7

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0064

disodium metasilicate (6834-92-0)		
Fluorinated greenhouse gases	False	
Sodium carbonate (497-19-8)		
Fluorinated greenhouse gases	False	
Sodium hydroxide (1310-73-2)		
Fluorinated greenhouse gases	False	
Other substances (not contributing to the	classification of this product)	
Fluorinated greenhouse gases	False	

SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

ADG	IMDG	ΙΑΤΑ
14.1. UN number		
1823	1823	1823
14.2. UN proper shipping name		<u>.</u>
SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	Sodium hydroxide, solid
14.3. Transport hazard class(es)		
8	8 8	8 8
8	Â	Â
8	8	8
14.4. Packing group	¥.	¥.
14.5. Environmental hazards		
	Marine pollutant : No	
14.6. Special precautions for user		
Specific storage requirement	: No data available	
Shock sensitivity	: No data available	
14.7. Additional information		
Other information	: No supplementary information available	
Transport by road and rail		
UN-No. (ADG)	- 1922	
Limited quantities (ADG)	: 1823 : 1kg	
Packing instructions (ADG)		
Special packing provisions (ADG)	: P002, IBC08	
Portable tank and bulk container instructions	: B2, B4 5 : T3	
(ADG)	. 10	
Portable tank and bulk container special	: TP33	
provisions (ADG)		
Transport by sea		
UN-No. (IMDG)	: 1823	
Packing instructions (IMDG)		
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FI	
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORF	
Properties and observations (IMDG)	: White pellets, flakes, lumps or solid blocks, deliquescent. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	
MFAG-No	: 154	·

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0064

Air transport

UN-No. (IATA) :	1823
	E2
	Y844
	5kg
1 5 ()	859
	15kg
1 0 ()	863
	50kg
ERG code (IATA) :	8L
14.8. Hazchem or Emergency Action Code	
Hazchem Code :	2W
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture
National Industrial Chemicals Notification and A	Assessment Scheme (NICNAS)
Australian Inventory of Chemical Substances : (AICS) status	All components of this mixture are listed on or exempted from AICS
15.2. International agreements	
No additional information available	
SECTION 16: Any other relevant inform	nation
Abbreviations and acronyms :	IATA - International Air Transport Association
·	IMDG - International Maritime Dangerous Goods
	LC50 - Median lethal concentration
	LD50 - Median lethal dose
	ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
	DOT - Department of Transport
	TDG - Transportation of Dangerous Goods
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
	IARC - International Agency for Research on Cancer
	vPvB - Very Persistent and Very Bioaccumulative
	PBT - Persistent Bioaccumulative Toxic
	PNEC - Predicted No-Effect Concentration
	CAS - CAS (Chemical Abstracts Service) number
	IBC-Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
	ATE - Acute Toxicity Estimate
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	BCF - Bioconcentration factor
	MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
	ADG - Transport of Australian Dangerous Goods
Other information :	Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.
Classification:	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 00625-0064

Met. Corr. 1	H290
Skin Corr. 1A	H314
Full text of H-statements:	
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.